



# **Chemical Resistant Labels**

Industritag.com/chemical-labels



GA International manufactures a range of chemical and solvent-resistant labels to serve the chemical and plastics industry. We have a heavy-duty workplace labeling solution to meet all your identification needs, whether you're in the petrochemical and agrochemical industry or you're a producer of organic and inorganic chemicals, polymers, elastomers, and/or petrochemicals.

# **Long-Exposure Chemical & Solvent-Resistant Labels**

Our durable chemical-resistant labels withstand extended exposure and long-term immersion in harsh chemicals and solvents, including oils, grease, and fuels. These tough labels can be applied on various surfaces, including metal, plastic, painted surfaces, and glass, and will resist abrasion and heavy-use without peeling, smudging, or fading.



SKU#	Labels Size (W x H)	Labels/Roll	Temperature range
ZFTT-152	0.9" x 0.75" (23 x 19.1mm)	1,000 or 3,000	-80°C to +120°C (-112°F to +248°F)
ZFTT-67	0.9375" x 0.9375" (23.1mm x 23.8mm)	1,000 or 3,000	-80°C to +120°C (-112°F to +248°F)
ZFTT-159	0.945" x 1.0625" (24mm x 27mm)	1,000 or 3,000	-80°C to +120°C (-112°F to +248°F)
ZFTT-157	0.975" x 0.92" (24.8mm x 23.4mm)	1,000	-80°C to +120°C (-112°F to +248°F)
ZFTT-504	1.5" x 1" (38.1mm x 25.4mm)	1,000 or 2,000	-80°C to +120°C (-112°F to +248°F)

## **Acid & Base-Resistant Labels**

AcidiTAG<sup>TM</sup> labels are designed to resist exposure to concentrated acids and bases, such as sulfuric acid ( $H_2SO_4$ ), hydrofluoric acid (HF), as well as strong bases, like sodium hydroxide (NaOH). Our permanent acid and base-proof labels are ideal for identifying containers used to store highly corrosive reagents, including aircraft cleaning chemicals, in addition to pest and weed control mixtures.



SKU#	Labels Size (W x H)	Labels/Roll	Temperature range
ZACT-504	1.5" x 1" (38.1mm x 25.4mm)	1,000 or 3,000	-30°C to +100°C (-22°F to +212°F)
ZACT-28	2" x 1" (50.8mm x 25.4mm)	1,000 or 3,000	-30°C to +100°C (-22°F to +212°F)
ZACT-56	3" x 2" (76.2mm x 50.8mm)	500 or 1,000	-30°C to +100°C (-22°F to +212°F)

## **Chemical-Resistant Color Labels**

Chemical-resistant color labels are ideal for labeling bottles, cartons, drums, barrels and other containers. They're perfect for color coding and rapid identification, while providing excellent resistance to harsh chemicals. Withstand exposure to harsh chemicals and solvents, such as acetone, paint thinners, commercial cleaners, and sanitation products. Available with removable or permanent adhesive.



#### **Permanent**

SKU#	Labels Size (W x H)	Labels/Roll	Temperature range	Color
ZAUA-132	2" (50.8mm) circle	500 or 1,000	-20°C to +98°C (-4°F to +208°F)	WH YE GA BL RE
ZAUA-86	3" x 1.25" (76.2mm x 31.8mm)	1,000 or 3,000	-20°C to +98°C (-4°F to +208°F)	WH YE GA RE
ZAUA-56	3" x 2" (76.2mm x 50.8mm)	500 or 2,000	-20°C to +98°C (-4°F to +208°F)	WH YE GA PI RE

#### Removable

SKU#	Labels Size (W x H)	Labels/Roll	Temperature range	Color
ZAUAR-132	2" (50.8mm) circle	500 or 1,000	-20°C to +98°C (-4°F to +208°F)	WH YE GA BL RE
ZAUAR-56	3" x 2" (76.2mm x 50.8mm)	500 or 2,000	-20°C to +98°C (-4°F to +208°F)	WH) YE GA PI RE
ZAUAR-86	3" x 1.25" (76.2mm x 31.8mm)	1,000 or 3,000	-20°C to +98°C (-4°F to +208°F)	WH YE GA RE
ZAUAR-186	3" x 5" (76.2mm x 127mm)	250 or 500	-20°C to +98°C (-4°F to +208°F)	WH BL RE

## **Clear Chemical-Resistant Labels**

Our clear chemical-resistant labels provide a clean printed-on look, perfect for chemical manufacturers, and commercial products. Printable using all common thermal-transfer printer brands, to include variable data, and other relevant information, these labels will withstand exposure to harsh chemicals and solvents and can also be used in ultra-low cryogenic temperature conditions (-196°C/-321°F).



SKU#	Labels Size (W x H)	Labels/Roll	Temperature range
ZAYB-233	0.875" x 0.625" (22.2mm x 15.9mm)	3,000	-196°C to +100°C (-321°F/+ 212°F)
ZAYB-29	1" x 1" (25.4mm x 25.4mm)	2,000	-196°C to +100°C (-321°F/+ 212°F)
ZAYB-205	1.5" x 1.125" (38.1mm x 28.6mm)	1,000	-196°C to +100°C (-321°F/+ 212°F)

## Chemical-Resistant Labels for DYMO LabelWriter Printers

DYMO-compatible chemical and ultra-low temperature-resistant labels withstand temperatures as low as -196°C/-321°F. These labels can resist short term (3min) exposure to harsh chemicals and solvents, such as ethanol, isopropanol, and commercial cleaners.

SKU#	Labels Size (W x H)	Labels /Roll	Temperature range
ZEDCC-040	0.5" x 1" (12.7mm x 25.4mm)	1,000	-196°C to +70°C (-321°F to +158°F)
ZEDCC-050	0.5" (12.7mm) circle	2,000	-196°C to +70°C (-321°F to +158°F)
ZEDCC-070	1" x 1" (25.4mm x 25.4mm)	750	-196°C to +70°C (-321°F to +158°F)
ZEDCC-082	2.25" x 1.25" (57.2mm x 31.8mm)	1,000	-196°C to +70°C (-321°F to +158°F)



# **Chemical-Resistant Warning Labels**

Versatile, multi-purpose warning labels can be used in a range of different environments, with a clear lamination that protects the labels against abrasion, fluctuations in temperature, as well as exposure to harsh chemicals and solvents. Can be provided pre-printed, fully customized with your unique safety warnings, and with a permanent adhesive that ensures the labels won't wrinkle, flag, or peel.

SKU#	Labels Size (W x H)	Labels/Roll
ZWL-001	1.75" x 0.75" (45mm x 19mm)	250
ZWL-002	1.75" x 0.75" (45mm x 19mm)	250
ZWL-004	1.125" x 1.125" (29mm x 29mm)	1,000
ZWL-005	1.125" x 1.125" (29mm x 29mm)	1,000
ZWL-011	1.5" x 1.5" (38.1mm x 38.1mm)	1,000









**USA / CANADA** +1-800-518-0364 INTERNATIONAL

+1-450-973-9420

www.industritag.com

info@ga-international.com