

HIGH-PERFORMANCE INDUSTRIAL LABELS

www.industritag.com

Barcode Verification Service

Guaranteeing accurate & consistent scanning of your barcodes!

- › Conform with most industry standards, including ISO and GS1
- › Guarantees your barcodes are accurate and consistently scannable
- › Experience support team always available to offer advice, free of charge
- › Can provide grading reports of individual or specific sequences of barcodes



Contact our customer support team at **1-800-518-0364 / 1-450-973-9420**
support@ga-international.com

TABLE OF CONTENTS

Labels

| | |
|---|-------------|
| Tire Labels | P.6 |
| Indoor Use | P.6 |
| Outdoor Use..... | P.7 |
| Labels for Hard-to-Stick Surfaces | P.8 |
| Labels for LSE Plastics..... | P.8 |
| Labels for Silica Treated Surfaces..... | P.8 |
| Electrical and Wire Labels | P.9 |
| Printable Wrap-Around Cable Labels..... | P.9 |
| Preprinted Electrical Warning Labels..... | P.9 |
| Acid and Base-Resistant Labels | P.10 |
| Circuit Board and Component Labels | P.11 |
| Chemical and Solvent-Resistant Labels | P.12 |
| Ultra-Resistant Labels for Thermal-Transfer Printers..... | P.12 |
| Color Labels for Thermal-Transfer Printers..... | P.13 |
| Clear Labels for Thermal-Transfer Printers..... | P.13 |
| Labels for Dymo LabelWriter Printers..... | P.13 |
| Equipment Maintenance & Calibration Labels | P.14 |
| DataGARD™ | P.15 |
| Piggyback Labels | P.16 |
| Anti-Counterfeit and Security Labels | P.17 |
| Tamper-Evident..... | P.17 |
| Destructible..... | P.17 |
| Heat-Resistant Labels | P.18 |
| Standard Labels for Thermal-Transfer Printers..... | P.18 |
| Standard Labels for Inkjet Printers..... | P.19 |
| Block Out Labels for Thermal-Transfer Printers | P.19 |
| Self-Laminating Labels for Thermal Transfer Printers | P.19 |
| Warning Labels | P.20 |
| Multi-Purpose Warning Labels | P.20 |
| Durable Warning Labels | P.21 |
| Electrical Warning Labels | P.21 |
| Construction Labels | P.22 |
| Labels for Lumber | P.22 |
| Labels for Bricks..... | P.22 |
| Frozen Food Container Labels | P.23 |
| Ultra-Low Temperature Labels for Cryo Use | P.24 |
| Thermal-Transfer Labels..... | P.24 |
| Laser Labels..... | P.25 |
| Metal Surface Thermal-Transfer Labels..... | P.25 |
| Block Out Thermal-Transfer Labels | P.25 |
| Asset Identification Labels | P.26 |
| Self-Laminating Thermal-Transfer Labels..... | P.26 |
| Multi-Purpose Labels for DYMO LW Printers | P.27 |
| Self-Laminating Calibration Labels | P.27 |
| Multi-Purpose Labels for Laser and Inkjet Printers | P.27 |

Tags

| | |
|---------------------------------------|------|
| Thermal-Transfer Polyimide Tags | P.30 |
| Inkjet Printable Name Tags..... | P.30 |
| Thermal-Transfer Price Tags..... | P.31 |

Tapes

| | |
|---------------------------------------|------|
| Adhesive-Free Sealing Tape | P.34 |
| Destructible Tape | P.34 |
| Floor Marking Tape | P.35 |
| Glow-in-the-Dark Tape..... | P.35 |
| Tapes for Low Temperature | P.36 |
| Tapes for Frozen Surfaces..... | P.36 |
| Self-Laminating Perforated Tapes..... | P.37 |
| Tapes for Metal Surfaces..... | P.37 |

Printing Solutions

| | |
|---------------------|------|
| Printers..... | P.40 |
| Ribbons | P.41 |
| Printing Kits | P.42 |
| Scanners..... | P.44 |
| Markers | P.44 |
| Software | P.45 |


Services

| | |
|----------------------------|------|
| Custom manufacturing | P.46 |
| Printing | P.47 |

Color Codes

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| White | Gray | Silver | Beige | Yellow | Lemon | Green Apple | Mint | Pink | Lavender | Blue | Orange | Moka | Red | Violet | Green Seafoam | Purple | Light Yellow | Light Mint | Light Pink | Light Blue | Assorted |

DURABLE THERMAL-TRANSFER LABELS
WATERPROOF, TEARPROOF, & WEATHERPROOF



NOT QUALITY MATTER Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore.
Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

[illegible]

GA INTERNATIONAL
www.industritag.com





LABELS



Tire Labels

Our thermal-transfer asset identification labels are provided with a clear laminate to protect the printout from water, abrasion, scrubbing, disinfectants, and other harsh chemicals. These self-laminating labels durably identify equipment, tools, electrical components, and other material subjected to elevated temperatures and other tough environments, including construction, oil extraction, automotive underhood, plumbing, and excavation. They can be printed with serialized information as well as 1D and/or 2D barcodes, for asset tracking and inventory management.



Indoor Use Tear-Proof Tire Labels

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|-------------------|----------------|---------------|------|-------------|
| ZLTL-122C1-0.3WH | 4" x 4" | 101.6 x 101.6 | 1" | 300 |
| ZLTL-122C3-1WH | 4" x 4" | 101.6 x 101.6 | 3" | 1,000 |
| ZLTL-191C1-0.25WH | 4" x 6" | 101.6 x 152.4 | 1" | 250 |
| ZLTL-191C3-0.5WH | 4" x 6" | 101.6 x 152.4 | 3" | 500 |

Indoor Use Standard Paper Tire Labels

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels Across | Labels/Roll | Colors Available |
|-------------------|----------------|---------------|------|---------------|-------------|------------------|
| ZTPL-151C1-4 | 2" x 1" | 50.8 x 25.4 | 1" | 2 | 4,000 | WH YE OR GA |
| ZTPL-151C3-8 | 2" x 1" | 50.8 x 25.4 | 3" | 2 | 8,000 | WH YE OR GA |
| ZTPL-62C1-1 | 4" x 2" | 101.6 x 50.8 | 1" | 1 | 1,000 | WH YE |
| ZTPL-62C3-1 | 4" x 2" | 101.6 x 50.8 | 3" | 1 | 1,000 | WH YE |
| ZTPL-100C1-0.5 | 4" x 3" | 101.6 x 76.2 | 1" | 1 | 500 | WH YE |
| ZTPL-100C3-1 | 4" x 3" | 101.6 x 76.2 | 3" | 1 | 1,000 | WH YE |
| ZTPL-191C1-0.25 | 4" x 6" | 101.6 x 152.4 | 1" | 1 | 250 | WH YE |
| ZTPL-191C3-0.5 | 4" x 6" | 101.6 x 152.4 | 3" | 1 | 500 | WH YE |
| ZTPL-526C1-0.25WH | 4" x 8" | 101.6 x 203.2 | 1" | 1 | 250 | WH |
| ZTPL-526C3-0.5WH | 4" x 8" | 101.6 x 203.2 | 3" | 1 | 500 | WH |

Outdoor Use Weatherproof Water, Oil & Tear-Resistant Tire Labels

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll | Colors Available |
|------------------|----------------|---------------|------|-------------|--------------------------|
| ZFPL-100C1-0.25 | 4" x 3" | 101.6 x 76.2 | 1" | 250 | (WH) (SI) |
| ZFPL-100C3-1 | 4" x 3" | 101.6 x 76.2 | 3" | 1,000 | (WH) (SI) |
| ZFPL-122C1-0.3 | 4" x 4" | 101.6 x 101.6 | 1" | 300 | (WH) (YE) |
| ZFPL-122C3-1 | 4" x 4" | 101.6 x 101.6 | 3" | 1,000 | (WH) (YE) |
| ZFPL-191C1-0.25 | 4" x 6" | 101.6 x 152.4 | 1" | 250 | (WH) (YE) (OR) (GA) (PI) |
| ZFPL-191C3-0.5 | 4" x 6" | 101.6 x 152.4 | 3" | 500 | (WH) (YE) (OR) (GA) (PI) |
| ZFPL-526C1-0.2WH | 4" x 8" | 101.6 x 203.2 | 1" | 200 | (WH) |
| ZFPL-526C3-0.4WH | 4" x 8" | 101.6 x 203.2 | 3" | 400 | (WH) |

Outdoor Use Weatherproof Tamper-Evident Tire Labels

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|------------------|----------------|------------|------|-------------|
| ZTEP-283C1-0.5WH | 4" x 2.875" | 101.6 x 73 | 1" | 500 |
| ZTEP-283C3-1WH | 4" x 2.875" | 101.6 x 73 | 3" | 1,000 |

Labels for Hard-to-Stick Surfaces

The latest advancements in the automotive industry have led to the development of sleeker, self-cleaning coatings, that protect against dirt and spills. However, these surfaces are more difficult to label and prone to outgassing. To solve this issue, IndustriTAG has developed labels that adhere firmly to hard-to-stick surfaces, including low surface energy (LSE) plastics, such as silicone coated and silica treated surfaces, fabrics and fibers, while also providing excellent resistance against grease and extended UV exposure. The performance of our labels has been confirmed by environmental testing against rigorous conditions.



Labels for Low Energy Surface (LSE) Plastics


| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|------------------|-------------------|-------------|------|-------------|
| ZPRF-117C1-2WH | 0.866" x 0.59" | 22 x 15 | 1" | 2,000 |
| ZPRF-117C3-4WH | 0.866" x 0.59" | 22 x 15 | 3" | 4,000 |
| ZPRF-67C1-1WH | 0.9375" x 0.9375" | 23.8 x 23.8 | 1" | 1,000 |
| ZPRF-67C3-1WH | 0.9375" x 0.9375" | 23.8 x 23.8 | 3" | 1,000 |
| ZPRF-242C1-0.5WH | 1.75" x 0.75" | 44.5 x 19.1 | 1" | 500 |
| ZPRF-242C3-1WH | 1.75" x 0.75" | 44.5 x 19.1 | 3" | 1,000 |

Labels for Silica Treated Surfaces

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|-------------------|----------------|---------------|------|-------------|
| ZLSS-62C1-0.5WH | 4" x 2" | 101.6 x 50.8 | 1" | 500 |
| ZLSS-62C3-1WH | 4" x 2" | 101.6 x 50.8 | 3" | 1,000 |
| ZLSS-122C1-0.3WH | 4" x 4" | 101.6 x 101.6 | 1" | 300 |
| ZLSS-122C3-0.5WH | 4" x 4" | 101.6 x 101.6 | 3" | 500 |
| ZLSS-191C1-0.25WH | 4" x 6" | 101.6 x 152.4 | 1" | 250 |
| ZLSS-191C3-0.5WH | 4" x 6" | 101.6 x 152.4 | 3" | 500 |

Electrical and Wire Labels

IndustriTAG offers safety and identification solutions for the electric power industry including labels for cables, wires, as well as warning labels to help keep your workers well informed and safe on the worksite. Blank thermal-transfer printable and custom options are available. Our electrical labels comply with Underwriters Laboratories (UL) standards for North America (NA) and are Restriction of Hazardous Substances (RoHS)-compliant for the European Union (EU).



Printable Wrap-Around Cable Labels

| SKU# | Total Label Size Inches (W x H) | Total Label Size mm (W x H) | Printable Area Inches (W x H) | Printable Area mm (W x H) | Core | Labels/Roll |
|---------------------|------------------------------------|--------------------------------|----------------------------------|------------------------------|------|-------------|
| ZEBA-162NOTC1-1WH | 0.5" x 1" | 12.7 x 25.4 | 0.5" x 0.4" | 12.7 x 10.1 | 1" | 1,000 |
| ZEBA-162NOTC3-2WH | 0.5" x 1" | 12.7 x 25.4 | 0.5" x 0.4" | 12.7 x 10.1 | 3" | 2,000 |
| ZEBA-29NOTC1-1WH | 1" x 1" | 25.4 x 25.4 | 1" x 0.375" | 25.4 x 9.5 | 1" | 1,000 |
| ZEBA-29NOTC3-2WH | 1" x 1" | 25.4 x 25.4 | 1" x 0.375" | 25.4 x 9.5 | 3" | 2,000 |
| ZEBA-118NOTC1-1WH | 1" x 1.25" | 25.4 x 31.8 | 1" x 0.5625" | 25.4 x 14.3 | 1" | 1,000 |
| ZEBA-118NOTC3-2WH | 1" x 1.25" | 25.4 x 31.8 | 1" x 0.5625" | 25.4 x 14.3 | 3" | 2,000 |
| ZEBA-193NOTC1-0.5WH | 1" x 2.875" | 25.4 x 73 | 1" x 0.55" | 25.4 x 14 | 1" | 500 |
| ZEBA-193NOTC3-1WH | 1" x 2.875" | 25.4 x 73 | 1" x 0.55" | 25.4 x 14 | 3" | 1,000 |

Preprinted Electrical Warning Labels

| SKU# | Inches (W x H) | mm (W x H) | Labels/Roll |
|-------------|----------------|--------------|-------------|
| ZEL-001-0.5 | 5" x 2.9375" | 127 x 74.6 | 500 |
| ZEL-002-0.5 | 3.25" x 6.875" | 82.5 x 174.6 | 500 |



#ZEL-001



#ZEL-002

UL and c-UL (CSA) recognized. Complies with ROHS/Regulation 2002/95/EU.

Acid and Base-Resistant Labels



AcidiTAG™ labels are designed to resist exposure to substances within a wide pH range, including highly concentrated acids and bases, such as battery acids. These permanent, acid and base-proof labels are ideal for identifying containers used to store highly corrosive reagents, including automotive fluids, and aircraft cleaning chemicals used in aerospace. Compatible with all common thermal-transfer barcode label printers, these labels can be printed using our XAR class of ribbons with barcodes and other relevant information.



| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|-----------------|----------------|-------------|------|-------------|
| ZACT-504C1-1WH | 1.5" x 1" | 38.1 x 25.4 | 1" | 1,000 |
| ZACT-504C3-3WH | 1.5" x 1" | 38.1 x 25.4 | 3" | 3,000 |
| ZACT-28C1-1WH | 2" x 1" | 50.8 x 25.4 | 1" | 1,000 |
| ZACT-28C3-3WH | 2" x 1" | 50.8 x 25.4 | 3" | 3,000 |
| ZACT-56C1-0.5WH | 3" x 2" | 76.2 x 50.8 | 1" | 500 |
| ZACT-56C3-1WH | 3" x 2" | 76.2 x 50.8 | 3" | 1,000 |

Circuit Board and Component Labels

Our thermal-transfer printable labels are ideal for circuit boards and components. These polyester electrical labels are coated with a permanent adhesive that resists wash processes, cleaning with alcohol, and high-heat conditions, withstanding temperatures up to 150°C/302°F. UL and c-UL (CSA) recognized, they comply with ROHS/Regulation 2002/95/EU, and resist the stringent conditions associated with soldering, such as flux.



| SKU# | Inches (W x H) | mm (W x H) | Core | Labels Across | Labels/Roll |
|-------------------|----------------|-------------|------|---------------|-------------|
| ZEAA-236NOTC1-4WH | 0.31" x 0.5" | 7.9 x 12.7 | 1" | 4 | 4,000 |
| ZEAA-236NOTC3-4WH | 0.31" x 0.5" | 7.9 x 12.7 | 3" | 4 | 4,000 |
| ZEAA-57C1-1WH | 1.125" x 0.75" | 28.6 x 19.1 | 1" | 1 | 1,000 |
| ZEAA-57C3-2WH | 1.125" x 0.75" | 28.6 x 19.1 | 3" | 1 | 2,000 |

Chemical and Solvent-Resistant Labels

Our durable chemical-resistant industrial labels withstand extended exposure to harsh chemicals and solvents. These waterproof labels withstand a range of tough environments, including heavy use and handling, dirt, grease, automotive oils and fluids, as well as common fertilizers and pesticides. Compatible with all common brands of thermal-transfer printers, these solvent-resistant labels can be printed on with high-quality barcodes and text for clear and concise identification as well as enhanced traceability.



Chemical and Solvent Ultra-Resistant Labels for Thermal-Transfer Printers

| SKU# | Inches (W x H) | mm (W x H) | Labels Across | Core | Labels/Roll |
|-----------------|-------------------|-------------|---------------|------|-------------|
| ZFTT-69C1-1WH | 0.75" x 0.75" | 19.1 x 19.1 | 1 | 1" | 1,000 |
| ZFTT-69C3-1WH | 0.75" x 0.75" | 19.1 x 19.1 | 1 | 3" | 1,000 |
| ZFTT-117C1-3WH | 0.866" x 0.59" | 22 x 15 | 1 | 1" | 3,000 |
| ZFTT-117C3-3WH | 0.866" x 0.59" | 22 x 15 | 1 | 3" | 3,000 |
| ZFTT-247C1-4WH | 0.875" x 0.875" | 22.2 x 22.2 | 2 | 1" | 4,000 |
| ZFTT-247C3-4WH | 0.875" x 0.875" | 22.2 x 22.2 | 2 | 3" | 4,000 |
| ZFTT-95C3-1WH | 0.875" x 0.875" | 22.2 x 22.2 | 4 | 1" | 1,000 |
| ZFTT-95C3-1WH | 0.875" x 0.875" | 22.2 x 22.2 | 4 | 3" | 1,000 |
| ZFTT-152C1-1WH | 0.9" x 0.75" | 23 x 19.1 | 1 | 1" | 1,000 |
| ZFTT-152C3-3WH | 0.9" x 0.75" | 23 x 19.1 | 1 | 3" | 3,000 |
| ZFTT-67C1-1WH | 0.9375" x 0.9375" | 23.8 x 23.8 | 1 | 1" | 1,000 |
| ZFTT-67C3-3WH | 0.9375" x 0.9375" | 23.8 x 23.8 | 1 | 3" | 3,000 |
| ZFTT-209C1-4WH | 1" x 0.25" | 25.4 x 6.4 | 1 | 1" | 4,000 |
| ZFTT-209C3-10WH | 1" x 0.25" | 25.4 x 6.4 | 1 | 3" | 10,000 |
| ZFTT-504C1-1WH | 1.5" x 1" | 38.1 x 25.4 | 1 | 1" | 1,000 |
| ZFTT-504C3-2WH | 1.5" x 1" | 38.1 x 25.4 | 1 | 3" | 2,000 |

Recommended Ribbon: XAR-Class

Chemical-Resistant Color Labels for Thermal Transfer Printers

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll | Adhesive | Colors Available |
|------------------|----------------|-------------|------|-------------|-----------|------------------|
| ZAUA-132C1-0.5 | 2" circle | 50.8 | 1" | 500 | Permanent | WH RE YE BL GA |
| ZAUA-132C3-1 | 2" circle | 50.8 | 3" | 1,000 | Permanent | WH RE YE BL GA |
| ZAUA-86C1-1 | 3" x 1.25" | 76.2 x 31.8 | 1" | 1,000 | Permanent | WH RE YE GA |
| ZAUA-86C3-3 | 3" x 1.25" | 76.2 x 31.8 | 3" | 3,000 | Permanent | WH RE YE GA |
| ZAUA-56C1-0.5 | 3" x 2" | 76.2 x 50.8 | 1" | 500 | Permanent | WH RE YE GA PI |
| ZAUA-56C3-2 | 3" x 2" | 76.2 x 50.8 | 3" | 2,000 | Permanent | WH RE YE GA PI |
| ZAUAR-132C1-0.5 | 2" circle | 50.8 | 1" | 500 | Removable | WH RE YE BL GA |
| ZAUAR-132C3-1 | 2" circle | 50.8 | 3" | 1,000 | Removable | WH RE YE BL GA |
| ZAUAR-86C1-1 | 3" x 1.25 | 76.2 x 31.8 | 1" | 1,000 | Removable | WH RE YE GA |
| ZAUAR-86C3-3 | 3" x 1.25 | 76.2 x 31.8 | 3" | 3,000 | Removable | WH RE YE GA |
| ZAUAR-186C1-0.25 | 3" x 5" | 76.2 x 127 | 1" | 250 | Removable | WH RE BL |
| ZAUAR-186C3-0.5 | 3" x 5" | 76.2 x 127 | 3" | 500 | Removable | WH RE BL |

Clear Chemical-Resistant Labels for Thermal Transfer Printers

| SKU# | Inches (W x H) | mm (W x H) | Core | Feature | Labels/Roll |
|-------------------|-----------------|-------------|------|-----------|-------------|
| ZAYB-233NOTC1-3 | 0.875" x 0.625" | 22.2 x 15.9 | 1" | N/A | 3,000 |
| ZAYB-233NOTC3-3 | 0.875" x 0.625" | 22.2 x 15.9 | 3" | N/A | 3,000 |
| ZAYB-29SBNOTC1-2 | 1" x 1" | 25.4 x 25.4 | 1" | Back Slit | 2,000 |
| ZAYB-29SBNOTC3-2 | 1" x 1" | 25.4 x 25.4 | 3" | Back Slit | 2,000 |
| ZAYB-205SBNOTC1-1 | 1.5" x 1.125" | 38.1 x 28.6 | 1" | Back Slit | 1,000 |
| ZAYB-205SBNOTC3-1 | 1.5" x 1.125" | 38.1 x 28.6 | 3" | Back Slit | 1,000 |

Chemical-Resistant Labels for Dymo LabelWriter Printers

| SKU# | Inches (W x H) | mm (W x H) | Labels/Roll |
|-----------|-----------------------|-------------------|-------------|
| ZEDCC-030 | 0.35" circle | 9 | 2,000 |
| ZEDCC-050 | 0.5" circle | 12.7 | 2,000 |
| ZEDCC-040 | 0.5" x 1" | 12.7 x 25.4 | 1,000 |
| ZEDCC-072 | 0.5" x 1.04" + 0.375" | 12.7 x 26.4 + 9.5 | 500 sets |
| ZEDCC-070 | 1" x 1" | 25.4 x 25.4 | 750 |
| ZEDCC-082 | 2.25" x 1.25" | 57.2 x 31.8 | 1,000 |

3 minutes maximum exposure.

Equipment Maintenance & Calibration Labels

Self-laminating, writable calibration labels are designed for equipment that is calibrated or inspected regularly. Our self-laminating labels withstand a wide range of temperatures (-196°C/-321°F to +120°C/+248°F), abrasion, exposure to harsh chemicals, and extended exposure to UV and gamma irradiation. These labels can be inscribed using permanent ink markers, with the clear laminate applied over the label to protect the written information and ensure that it won't smudge or smear, even under the harshest conditions.



| CALIBRATION | | | |
|-------------|--|----|--|
| ID. 213564 | | | |
| DATE | | BY | |
| DUE | | | |

1 Fill in the information

| CALIBRATION | | | |
|-------------------|--|---------|--|
| ID. 213564 | | | |
| DATE 17 / 07 / 20 | | BY | |
| DUE 17 / 07 / 25 | | GA Int. | |

2 Remove the support liner from the transparent flap

| CALIBRATION | | | |
|-------------------|--|---------|--|
| ID. 213564 | | | |
| DATE 17 / 07 / 20 | | BY | |
| DUE 17 / 07 / 25 | | GA Int. | |

3 Press down the transparent flap to laminate the label

| SKU# | Inches (W x H) | mm (W x H) | Legend | Labels/Roll | Adhesive | Temperature Range |
|-----------------|----------------|-------------|----------------------------------|-------------|-----------|-------------------------------------|
| ZCALA-001-1P | 0.75" x 1.5" | 19.1 x 38.1 | "Calibration" | 1,000 | Permanent | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-001-1R | 0.75" x 1.5" | 19.1 x 38.1 | "Calibration" | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-007-1R | 1" x 2" | 25.4 x 50.8 | "Opened" | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-002-1P | 1" x 2.125" | 25.4 x 54 | "Calibration" | 1,000 | Permanent | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-002-1R | 1" x 2.125" | 25.4 x 54 | "Calibration" | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-008-1R | 1" x 2.125" | 25.4 x 54 | "Preventive Maintenance" | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-010-1R | 1" x 2.125" | 25.4 x 54 | - | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-015-1R | 1" x 2.125" | 25.4 x 54 | "Inspected" | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-011-0.5R | 1.5" x 2.5" | 38.1 x 63.5 | "Opened" | 500 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-006-0.25R | 2" x 3" | 50.8 x 76.2 | "Do Not Use" | 250 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-014-1R | 3.25" x 1" | 82.6 x 25.4 | "Monthly Preventive Maintenance" | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |



DataGARD™

Variable Data Laminated Labels

- Improve Efficiency
- Ensure Durability
- Customize

DataGARD™ labels provide laminated serialized barcode identification, ideal for labeling of heavy-duty equipment, electric components, and automotive underhood parts that need a unique identifier for asset tracking or maintenance, while ensuring the information is protected. They can withstand a range of external factors that would cause most other labels to fail. The labels and their individual, serialized information, are protected against exposure to harsh chemicals and solvents, abrasion, in addition to scratching and friction, and will remain legible and scannable.



Use DataGARD™ in Industrial Applications

- Identify circuit boards and electrical panels
- Asset tracking in electronics, forestry, construction, manufacturing, mining and more
- Labels stay clear even under heat and covered in oil, water and dirt
- Waterproof, weatherproof, wear and tear proof
- Resistant to chemical exposure and abrasion

Industriatag.com/datagard





Piggyback Labels

Our multi-purpose, thermal-transfer, piggyback paper labels are coated with a permanent adhesive and have a label-on-label multi-layer design that allows multiple related labels to be printed simultaneously and placed in one location until the smaller labels within are needed to identify subsequent items. Thermal-transfer printable, they are ideal for general use in warehouses and shipping/sorting facilities.



| SKU# | Total Set Size Inches / mm (W x H) | Inside Labels Size Inches / mm (W x H) | Number of Labels Inside | Core | Labels Sets/Roll |
|-----------------|---------------------------------------|---|----------------------------|------|------------------|
| ZPGPB-5C1-2WH | 2" x 0.5" / 50.8 x 12.7 | 1.5" x 0.25" / 38.1 x 6.4 | 1 | 1" | 2,000 |
| ZPGPB-5C3-5WH | 2" x 0.5" / 50.8 x 12.7 | 1.5" x 0.25" / 38.1 x 6.4 | 1 | 3" | 5,000 |
| ZPGPB-4C1-0.5WH | 3.5" x 2" / 88.9 x 50.8 | 1.3" x 0.25" / 33 x 6.4 | 4 | 1" | 500 |
| ZPGPB-4C3-1WH | 3.5" x 2" / 88.9 x 50.8 | 1.3" x 0.25" / 33 x 6.4 | 4 | 3" | 1,000 |



Anti-Counterfeit and Security Labels

Our plastic waterproof tamper-evident labels will tear into pieces upon any attempt to remove them and are ideal for identifying equipment, instruments, components, and containers that require evidence of possible tampering. Their sophisticated and practical design adds rigidity and strength to reduce accidental seal ruptures yet destructs easily upon removal. These destructible thermal-transfer labels can be used to deter counterfeiting and theft, to improve asset protection and data tracking, as well as to prevent re-use of the label.



Tamper-Evident


| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|-----------------|-----------------|-------------|------|-------------|
| ZTELA-1NPC1-1WH | 0.75" x 1.8125" | 19.1 x 46 | 1" | 1,000 |
| ZTELA-1NPC3-3WH | 0.75" x 1.8125" | 19.1 x 46 | 3" | 3,000 |
| ZTELA-3NPC1-1WH | 1.5" Circle | 38.1 | 1" | 1,000 |
| ZTELA-3NPC3-1WH | 1.5" Circle | 38.1 | 3" | 1,000 |
| ZTELA-2C1-1WH | 2.75" x 2.125" | 70 x 54 | 1" | 1,000 |
| ZTELA-2C3-1WH | 2.75" x 2.125" | 70 x 54 | 3" | 1,000 |
| ZTELA-5C1-1WH | 3.81" x 1.375" | 96.8 x 34.9 | 1" | 1,000 |
| ZTELA-5C3-1WH | 3.81" x 1.375" | 96.8 x 34.9 | 3" | 1,000 |

Destructible

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|-----------------|-----------------|-------------|------|-------------|
| ZCTDA-7C1-1WH | 1" x 0.5" | 25.4 x 12.7 | 1" | 1,000 |
| ZCTDA-7C3-1WH | 1" x 0.5" | 25.4 x 12.7 | 3" | 1,000 |
| ZCTDA-232C1-1WH | 1.625" x 0.625" | 41.3 x 15.9 | 1" | 1,000 |
| ZCTDA-232C3-1WH | 1.625" x 0.625" | 41.3 x 15.9 | 3" | 1,000 |
| ZCTDA-28C1-1WH | 2" x 1" | 50.8 x 25.4 | 1" | 1,000 |
| ZCTDA-28C3-1WH | 2" x 1" | 50.8 x 25.4 | 3" | 1,000 |
| ZCTDA-5C1-1WH | 2.5" x 1" | 63.5 x 25.4 | 1" | 1,000 |
| ZCTDA-5C3-1WH | 2.5" x 1" | 63.5 x 25.4 | 3" | 1,000 |

Heat Resistant Labels

Our high-temperature resistant labels are ideal for identifying various containers and surfaces. They have a temperature range of -60°C to +150°C (-76°F to + 302°F) and can be applied to metal, plastic, and glass surfaces, withstanding exposure to alcohols, as well as UV and gamma irradiation. These labels are waterproof, weatherproof, and thermal-transfer printable, which ensures barcodes are printed with high-resolution and remain legible and scannable when you need to track parts. We also offer heat-resistant labels for laser and inkjet printers.



Standard Heat-Resistant (for Thermal Transfer Printers)

| SKU# (White) | SKU# (Colors) | Inches (W x H) | mm (W x H) | Core | Labels/ Roll | Adhesive | Colors Available |
|-------------------|------------------|----------------|--------------|------|-----------------|-----------|------------------------|
| ZAUTT-19C1-1WH | - | 1.3" x 0.625" | 33 x 15.9 | 1" | 1,000 | Permanent | (WH) |
| ZAUTT-19C3-1WH | - | 1.3" x 0.625" | 33 x 15.9 | 3" | 1,000 | Permanent | (WH) |
| ZAUTT-75NPC1-2WH | ZAUTC-75NPC1-2 | 1" x 0.6875" | 25.4 x 17.5 | 1" | 2,000 | Permanent | (WH) GA OR |
| ZAUTT-75NPC3-2WH | ZAUTC-75NPC3-2 | 1" x 0.6875" | 25.4 x 17.5 | 3" | 2,000 | Permanent | (WH) GA OR |
| ZAUTT-84C1-0.25WH | ZAUTC-84C1-0.25 | 2" x 4" | 50.8 x 101.6 | 1" | 250 | Permanent | (WH) YE GA PI BL OR RE |
| ZAUTT-84C3-1WH | ZAUTC-84C3-1 | 2" x 4" | 50.8 x 101.6 | 3" | 1,000 | Permanent | (WH) YE GA PI BL OR RE |
| ZAUTT-28C1-2WH | - | 2" x 1" | 50.8 x 25.4 | 1" | 2,000 | Permanent | (WH) |
| ZAUTT-28C3-2WH | - | 2" x 1" | 50.8 x 25.4 | 3" | 2,000 | Permanent | (WH) |
| ZAUTT-231C1-1WH | - | 2.25" x 1.25" | 57.2 x 31.8 | 1" | 1,000 | Permanent | (WH) |
| ZAUTT-231C3-2WH | - | 2.25" x 1.25" | 57.2 x 31.8 | 3" | 2,000 | Permanent | (WH) |
| ZAUTR-56C1-1WH | - | 3" x 2" | 76.2 x 50.8 | 1" | 1,000 | Removable | (WH) |
| ZAUTR-56C3-1WH | - | 3" x 2" | 76.2 x 50.8 | 3" | 1,000 | Removable | (WH) |
| ZAUTR-9C1-1WH | - | 1.25" x 0.875" | 31.8 x 22.2 | 1" | 1,000 | Removable | (WH) |
| ZAUTR-9C3-3WH | - | 1.25" x 0.875" | 31.8 x 22.2 | 3" | 3,000 | Removable | (WH) |
| ZAUTR-127C1-1WH | - | 4" x 1" | 101.6 x 25.4 | 1" | 1,000 | Removable | (WH) |
| ZAUTR-127C3-2WH | - | 4" x 1" | 101.6 x 25.4 | 3" | 2,000 | Removable | (WH) |
| ZAUTR-28C1-1WH | - | 2" x 1" | 50.8 x 25.4 | 1" | 1,000 | Removable | (WH) |
| ZAUTR-28C3-2WH | - | 2" x 1" | 50.8 x 25.4 | 3" | 2,000 | Removable | (WH) |
| ZAUTR-11C1-2WH | - | 2.64" x 0.276" | 67.1 x 7 | 1" | 2,000 | Removable | (WH) |
| ZAUTR-11C3-4WH | - | 2.64" x 0.276" | 67.1 x 7 | 3" | 4,000 | Removable | (WH) |

Self-Laminating Heat-Resistant (for Thermal Transfer Printers)

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll | Adhesive | Temperature Range |
|---------------------|----------------|-------------|------|-------------|-----------|-----------------------------------|
| ZSLPA-534NPC1-0.5WH | 0.75" x 2.25" | 19.1 x 57.2 | 1" | 500 | Permanent | -60°C to +150°C (-76°F to +302°F) |
| ZSLPA-534NPC3-1WH | 0.75" x 2.25" | 19.1 x 57.2 | 3" | 1,000 | Permanent | -60°C to +150°C (-76°F to +302°F) |
| ZSLPA-284C1-0.5WH | 1" x 2.125" | 25.4 x 54 | 1" | 500 | Permanent | -60°C to +150°C (-76°F to +302°F) |
| ZSLPA-284C3-1WH | 1" x 2.125" | 25.4 x 54 | 3" | 1,000 | Permanent | -60°C to +150°C (-76°F to +302°F) |



Standard Heat-Resistant (for Inkjet Printers)

| SKU# | Inches (W x H) | mm (W x H) | Labels/Pack | Temperature Range |
|-----------|----------------|-------------|-------------|-----------------------------------|
| ZINKA-13 | 1.75" x 0.5" | 44.5 x 12.7 | 1,280 | -40°C to +150°C (-40°F to +302°F) |
| ZINKA-63 | 2" x 1.125" | 50.8 x 28.6 | 432 | -40°C to +150°C (-40°F to +302°F) |
| ZINKA-106 | 3" x 2" | 76.2 x 50.8 | 160 | -40°C to +150°C (-40°F to +302°F) |
| ZINKA-61 | 3.5" x 2" | 88.9 x 50.8 | 160 | -40°C to +150°C (-40°F to +302°F) |

Block Out Heat-Resistant (for Thermal Transfer Printers)

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll | Temperature Range |
|---------------|----------------|-------------|------|-------------|-----------------------------------|
| ZBOA-19C1-1SI | 1.3" x 0.625" | 33 x 15.9 | 1" | 1,000 | -60°C to +150°C (-76°F to +302°F) |
| ZBOA-19C3-3SI | 1.3" x 0.625" | 33 x 15.9 | 3" | 3,000 | -60°C to +150°C (-76°F to +302°F) |
| ZBOA-28C1-1SI | 2" x 1" | 50.8 x 25.4 | 1" | 1,000 | -60°C to +150°C (-76°F to +302°F) |
| ZBOA-28C3-2SI | 2" x 1" | 50.8 x 25.4 | 3" | 2,000 | -60°C to +150°C (-76°F to +302°F) |

Warning Labels

Pre-printed warning labels are coated with a transparent lamination, enabling them to resist abrasion, scratching, and exposure to harsh chemicals and solvents. These warning labels are waterproof and tearproof, able to withstand a wide range of temperatures, and perfect for use in any environment, including offices, warehouses, factories, and work sites. They're fully customizable with logos, graphics, and text to ensure any warning information is clearly visible and easy to read.



Multi-Purpose Warning Labels

| SKU# | Inches (W x H) | mm (W x H) | Legend | Labels/Roll |
|-------------|----------------|--------------|------------------------|-------------|
| ZL-007-0.5R | 1" x 2" | 25.4 x 50.8 | "R&D USE ONLY" | 500 |
| ZL-008-0.5R | 1" x 2" | 25.4 x 50.8 | "CALIBRATE BEFORE USE" | 500 |
| ZL-005-0.5P | 1.312" x 9" | 33.3 x 228.6 | "INCINERATION" | 500 |
| ZL-009-0.5P | 2" x 9" | 50.8 x 228.6 | "INCINERATE" | 500 |
| ZL-004-1P | 2.72" x 1" | 69 x 25.4 | "RADIOACTIVE" | 1,000 |

#ZL-005

INCINERATION

#ZL-007

**R & D
USE ONLY**

#ZL-008

**CALIBRATE
BEFORE USE**

#ZL-009

INCINERATE

#ZL-004

RADIOACTIVE 

Durable Warning Labels

| SKU# | Inches (W x H) | mm (W x H) | Description | Labels/Roll |
|---------------|-----------------|-------------|--------------------------------------|-------------|
| ZWL-012-1P | 0.5" circle | 12.7 | Biohazard Symbol | 1,000 |
| ZWL-003-1P | 1.125" x 1.125" | 29 x 29 | Biohazard Symbol & Text | 1,000 |
| ZWL-007-1P | 1.125" x 1.125" | 29 x 29 | Biohazard Symbol | 1,000 |
| ZWL-015-0.5P | 0.875" x 0.875" | 22.2 x 22.2 | HMIS Warning | 500 |
| ZWL-016-0.5P | 1" x 3" | 25.4 x 76.2 | HMIS Warning | 500 |
| ZWL-004-1P | 1.125" x 1.125" | 29 x 29 | NFPA (Blank) | 1,000 |
| ZWL-005-1P | 1.125" x 1.125" | 29 x 29 | NFPA (Printed) | 1,000 |
| ZWL-002-0.25P | 1.75" x 0.75" | 45 x 19 | NON HAZARDOUS | 250 |
| ZWL-013-1P | 0.5" circle | 12.7 | Radioactive Symbol (Black on Yellow) | 1,000 |
| ZWL-014-1P | 0.5" circle | 12.7 | Radioactive Symbol (Red on Yellow) | 1,000 |
| ZWL-011-1P | 1.5" x 1.5" | 38.1 x 38.1 | STOP Text & Symbol | 1,000 |
| ZWL-001-0.25P | 1.75" x 0.75" | 45 x 19.1 | "TOXIC" | 250 |
| ZWL-009-1R | 0.75" x 0.75" | 19.1 x 19.1 | General Warning Symbol | 1,000 |
| ZWL-008-1R | 0.75" x 0.75" | 19.1 x 19.1 | Hot Surface Hazard Symbol | 1,000 |
| ZWL-010-1R | 0.75" x 0.75" | 19.1 x 19.1 | Low Temperature Warning Symbol | 1,000 |

#ZWL-001




#ZWL-002




#ZWL-003



#ZWL-004



#ZWL-005



#ZWL-007



#ZWL-008



#ZWL-009



#ZWL-010



#ZWL-011



#ZWL-012



#ZWL-015



More options available on www.industritag.com

Electrical Warning Labels

| SKU# | Inches (W x H) | mm (W x H) | Labels/Roll |
|-------------|----------------|--------------|-------------|
| ZEL-001-0.5 | 5" x 2.9375" | 127 x 74.6 | 500 |
| ZEL-002-0.5 | 3.25" x 6.875" | 82.5 x 174.6 | 500 |



#ZEL-001



#ZEL-002

UL and c-UL (CSA) recognized. Complies with ROHS/Regulation 2002/95/EU.

Construction Labels

IndustriTAG offers specialized construction labels designed to identify the hard-to-label surfaces encountered during construction, including brick, stone, cement, lumber, as well as plastic and metal tools. This includes warning labels that provide visible communication of potential hazards and important safety instructions. Our durable labels are made to withstand the harsh working environments encountered on construction sites, and still remain readable and scannable.



Thermal-Transfer Labels for Lumber

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|---------------|----------------|-------------|------|-------------|
| ZLMB-56C1-1WH | 3" x 2" | 76.2 x 50.8 | 1" | 1,000 |
| ZLMB-56C3-1WH | 3" x 2" | 76.2 x 50.8 | 3" | 1,000 |

Thermal-Transfer Labels for Bricks

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|-----------------|----------------|-------------|------|-------------|
| ZBRK-86C1-1WH | 3" x 1.25" | 76.2 x 31.8 | 1" | 1,000 |
| ZBRK-86C3-2WH | 3" x 1.25" | 76.2 x 31.8 | 3" | 2,000 |
| ZBRK-56C1-0.5WH | 3" x 2" | 76.2 x 50.8 | 1" | 500 |
| ZBRK-56C3-1WH | 3" x 2" | 76.2 x 50.8 | 3" | 1,000 |

Frozen Food Container Labels

Our durable thermoplastic labels are designed to permanently adhere to frozen food boxes, plastic bags, and other containers. Coated with a permanent adhesive, these microwave-safe frozen food labels stick to pre-frozen plastic bags, boxes, cardboard, aluminum, as well as stainless-steel surfaces, and remain attached under standard food freezer and refrigerator storage conditions (-20°C/-4°F to -80°C/-112°F). We also offer printing services to provide custom labels with a variety of options, including color logos, ingredients, nutritional information, and more.



| SKU# | Inches (W x H) | mm (W x H) | Core | Labels Across | Labels/Roll |
|----------------|----------------|-------------|------|---------------|-------------|
| ZFFL-245C1-1WH | 2" x 1.25" | 50.8 x 31.8 | 1" | 1 | 1,000 |
| ZFFL-245C3-3WH | 2" x 1.25" | 50.8 x 31.8 | 3" | 1 | 3,000 |
| ZFFL-56C1-1WH | 3" x 2" | 76.2 x 50.8 | 1" | 1 | 1,000 |
| ZFFL-56C3-2WH | 3" x 2" | 76.2 x 50.8 | 3" | 1 | 2,000 |

Ultra-Low Temperature Labels for Cryo Use

Our thermal-transfer cryo labels resist extreme low-temperatures, including temperatures as low as liquid helium (-269°C/-452°F), making them perfect for labeling air and fuel cooling systems as well as cryoelectronics. Coated with a permanent adhesive, our cryogenic barcode labels adhere to wet and damp surfaces and withstand spraying and rubbing with alcohols and sanitizing wipes. These low-temperature labels can be printed on with all common thermal-transfer printers to incorporate serialized information and high-quality barcodes.



Ultra-Low Temperature Cryogenic Thermal-Transfer Labels (-196°C)

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll | Colors Available |
|-----------------|----------------|-------------|------|-------------|---------------------------------|
| ZJTТА-4C1-1 | 1" x 0.75" | 25.4 x 19.1 | 1" | 1,000 | (WH) YE GA PI BL RE |
| ZJTТА-4C3-1 | 1" x 0.75" | 25.4 x 19.1 | 3" | 1,000 | (WH) YE GA PI BL RE |
| ZJTТА-29C1-1 | 1" x 1" | 25.4 x 25.4 | 1" | 1,000 | (WH) YE GA PI BL RE LA OR BR SI |
| ZJTТА-29C3-3 | 1" x 1" | 25.4 x 25.4 | 3" | 3,000 | (WH) YE GA PI BL RE LA OR BR SI |
| ZJTТА-18C1-2WH | 1.25" x 0.5" | 31.8 x 12.7 | 1" | 2,000 | (WH) |
| ZJTТА-18C3-2WH | 1.25" x 0.5" | 31.8 x 12.7 | 3" | 2,000 | (WH) |
| ZJTТА-9C1-1 | 1.25" x 0.875" | 31.8 x 22.2 | 1" | 1,000 | (WH) YE GA OR MT RE |
| ZJTТА-9C3-1 | 1.25" x 0.875" | 31.8 x 22.2 | 3" | 1,000 | (WH) YE GA OR MT RE |
| ZJTТА-97C1-1WH | 1.28" x 0.625" | 32.5 x 15.9 | 1" | 1,000 | (WH) |
| ZJTТА-97C3-2WH | 1.28" x 0.625" | 32.5 x 15.9 | 3" | 2,000 | (WH) |
| ZJTТА-168C1-2WH | 1.4" x 0.5" | 35.6 x 12.7 | 1" | 2,000 | (WH) |
| ZJTТА-168C3-4WH | 1.4" x 0.5" | 35.6 x 12.7 | 3" | 4,000 | (WH) |
| ZJTТА-10C1-1 | 1.5" x 0.75" | 38.1 x 19.1 | 1" | 1,000 | (WH) GA OR |
| ZJTТА-10C3-2 | 1.5" x 0.75" | 38.1 x 19.1 | 3" | 2,000 | (WH) GA OR |
| ZJTТА-242C1-1WH | 1.75" x 0.75" | 44.5 x 19.1 | 1" | 1,000 | (WH) |
| ZJTТА-242C3-3WH | 1.75" x 0.75" | 44.5 x 19.1 | 3" | 3,000 | (WH) |
| ZJTТА-36C1-1 | 3" x 1" | 76.2 x 25.4 | 1" | 1,000 | (WH) YE GA PI BL RE LA OR BR SI |
| ZJTТА-36C3-1 | 3" x 1" | 76.2 x 25.4 | 3" | 1,000 | (WH) YE GA PI BL RE LA OR BR SI |

Ultra-Low Temperature Cryogenic Laser Labels (-196°C)

| SKU# | Inches (W x H) | mm (W x H) | Colors Available |
|----------|----------------|--------------|--|
| ZCL-12T1 | 0.94" x 0.5" | 23.9 x 12.7 | (WH) YE GA PI BL RE LA OR LE MT GS SI A |
| ZCL-16T1 | 0.94" x 0.78" | 23.9 x 19.8 | (WH) OR |
| ZCL-9T1 | 1.26" x 0.87" | 32 x 22.1 | (WH) YE GA PI BL RE LA OR LE MT BE SI A |
| ZCL-23T1 | 1.28" x 0.5" | 32.5 x 12.7 | (WH) YE GA PI BL RE LA OR LE MT BE SI A |
| ZCL-6T1 | 1.42" x 0.55" | 36 x 14 | (WH) YE GA PI BL RE LA OR LE MT BE SI A |
| ZCL-13T1 | 1.75" x 0.5" | 44.5 x 12.7 | (WH) YE GA PI BL RE LA OR LE MT BE SI BR A |
| ZCL-3T1 | 2.63" x 1" | 66.8 x 25.4 | (WH) YE GA PI BL RE GS OR A |
| ZCL-7T1 | 4" x 2" | 101.6 x 50.8 | (WH) OR BR |

Ultra-Low Temperature Thermal-Transfer Labels for Metal Surfaces (-196°C)

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll | Colors Available |
|------------------|-----------------|---------------|------|-------------|-------------------------------------|
| ZAWA-29C1-2WH | 1" x 1" | 25.4 x 25.4 | 1" | 2,000 | (WH) |
| ZAWA-29C3-2WH | 1" x 1" | 25.4 x 25.4 | 3" | 2,000 | (WH) |
| ZAWA-232C1-2WH | 1.625" x 0.625" | 41.3 x 15.9 | 1" | 2,000 | (WH) |
| ZAWA-232C3-4WH | 1.625" x 0.625" | 41.3 x 15.9 | 3" | 4,000 | (WH) |
| ZAWA-28C1-1 | 2" x 1" | 50.8 x 25.4 | 1" | 1,000 | (WH) LYE LMT LBL LPI RE VI OR BE BR |
| ZAWA-28C3-1 | 2" x 1" | 50.8 x 25.4 | 3" | 1,000 | (WH) LYE LMT LBL LPI RE VI OR BE BR |
| ZAWA-36C1-1WH | 3" x 1" | 76.2 x 25.4 | 1" | 1,000 | (WH) |
| ZAWA-36C3-1WH | 3" x 1" | 76.2 x 25.4 | 3" | 1,000 | (WH) |
| ZAWA-122C1-0.3WH | 4" x 4" | 101.6 x 101.6 | 1" | 300 | (WH) |
| ZAWA-122C3-0.5WH | 4" x 4" | 101.6 x 101.6 | 3" | 500 | (WH) |

Low-Temperature Block Out Thermal-Transfer Labels (-80°C)

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|------------------|----------------|--------------|------|-------------|
| ZBOC-28C1-1WH | 2" x 1" | 50.8 x 25.4 | 1" | 1,000 |
| ZBOC-28C3-2WH | 2" x 1" | 50.8 x 25.4 | 3" | 2,000 |
| ZBOC-7C1-1WH | 1" x 0.5" | 25.4 x 12.7 | 1" | 1,000 |
| ZBOC-7C3-5WH | 1" x 0.5" | 25.4 x 12.7 | 3" | 5,000 |
| ZBOC-243C1-1WH | 1.4" x 1" | 35.6 x 25.4 | 1" | 1,000 |
| ZBOC-243C1-1WH | 1.4" x 1" | 35.6 x 25.4 | 3" | 1,000 |
| ZBOC-529C1-0.5WH | 3.5" x 1.5" | 88.9 x 38.1 | 1" | 500 |
| ZBOC-529C3-1WH | 3.5" x 1.5" | 88.9 x 38.1 | 3" | 1,000 |
| ZBOC-530C1-0.5WH | 4" x 1.625" | 101.6 x 41.3 | 1" | 500 |
| ZBOC-530C3-1WH | 4" x 1.625" | 101.6 x 41.3 | 3" | 1,000 |

Tamper-Evident Low-Temperature Labels are available on Page 21

Asset Identification Labels

Our asset identification labels are provided as multipurpose laser labels or with a clear laminate to protect the printout from water, abrasion, scrubbing, disinfectants, and other harsh chemicals. These labels durably identify equipment, tools, electrical components, and other material subjected to elevated temperatures and other tough environments, including construction, oil extraction, automotive underhood, plumbing, and excavation. They can be printed with serialized information as well as 1D and/or 2D barcodes, for asset tracking and inventory management.



Self-Laminating Thermal-Transfer Labels

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll | Adhesive | Temperature Range |
|---------------------|----------------|-------------|------|-------------|-----------|-------------------------------------|
| ZSLTP-284C1-0.5WH | 1" x 2.125" | 25.4 x 54 | 1" | 500 | Permanent | -80°C to +93°C (-112°F to +199.4°F) |
| ZSLTP-284C3-1WH | 1" x 2.125" | 25.4 x 54 | 3" | 1,000 | Permanent | -80°C to +93°C (-112°F to +199.4°F) |
| ZSLTR-284C1-0.5WH | 1" x 2.125" | 25.4 x 54 | 1" | 500 | Removable | -80°C to +93°C (-112°F to +199.4°F) |
| ZSLTR-284C3-1WH | 1" x 2.125" | 25.4 x 54 | 3" | 1,000 | Removable | -80°C to +93°C (-112°F to +199.4°F) |
| ZSLPA-534NPC1-0.5WH | 0.75" x 2.25" | 19.1 x 57.2 | 1" | 500 | Permanent | -60°C to +150°C (-76°F to +302°F) |
| ZSLPA-534NPC3-1WH | 0.75" x 2.25" | 19.1 x 57.2 | 3" | 1,000 | Permanent | -60°C to +150°C (-76°F to +302°F) |
| ZSLPA-284C1-0.5WH | 1" x 2.125" | 25.4 x 54 | 1" | 500 | Permanent | -60°C to +150°C (-76°F to +302°F) |
| ZSLPA-284C3-1WH | 1" x 2.125" | 25.4 x 54 | 3" | 1,000 | Permanent | -60°C to +150°C (-76°F to +302°F) |

Multi-Purpose Labels for DYMO LW Printers

| SKU# | Inches (W x H) | mm (W x H) | Labels/Roll | Colors Available |
|------------|----------------|-------------|-------------|------------------------------------|
| ZEDY-071WH | 0.79" x 1.77" | 20 x 45 | 500 | (WH) |
| ZEDY-070WH | 1" x 1" | 25.4 x 25.4 | 750 | (WH) |
| ZEDY-010 | 1" x 2.125" | 25.4 x 54 | 500 | (WH) (YE) (BL) (RE) (OR) (GA) (PI) |
| ZEDY-020 | 1.125" x 3.5" | 29 x 89 | 350 | (WH) (YE) (BL) (RE) (OR) (GA) |
| ZEDY-074 | 1.4" x 3.5" | 35.6 x 88.9 | 260 | (WH) (YE) (GA) |

Self-Laminating Calibration Labels

| SKU# | Inches (W x H) | mm (W x H) | Legend | Labels/Roll | Adhesive | Temperature Range |
|-----------------|----------------|-------------|--------------------------------|-------------|-----------|-------------------------------------|
| ZCALA-001-1P | 0.75" x 1.5" | 19.1 x 38.1 | Calibration | 1,000 | Permanent | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-001-1R | 0.75" x 1.5" | 19.1 x 38.1 | Calibration | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-007-1R | 1" x 2" | 25.4 x 50.8 | Opened | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-002-1P | 1" x 2.125" | 25.4 x 54 | Calibration | 1,000 | Permanent | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-002-1R | 1" x 2.125" | 25.4 x 54 | Calibration | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-008-1R | 1" x 2.125" | 25.4 x 54 | Preventive Maintenance | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-010-1R | 1" x 2.125" | 25.4 x 54 | - | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-015-1R | 1" x 2.125" | 25.4 x 54 | Inspected | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-011-0.5R | 1.5" x 2.5" | 38.1 x 63.5 | Opened | 500 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-006-0.25R | 2" x 3" | 50.8 x 76.2 | Do Not Use | 250 | Removable | -80°C to +72°C (-112°F to +161.6°F) |
| ZCALA-014-1R | 3.25" x 1" | 82.6 x 25.4 | Monthly Preventive Maintenance | 1,000 | Removable | -80°C to +72°C (-112°F to +161.6°F) |

Multi-Purpose Labels for Laser and Inkjet Printers

| SKU# | Inches (W x H) | mm (W x H) | Finish | Labels/Pack | Adhesive | Colors Available |
|------------|----------------|--------------|--------|-------------|-----------|------------------------|
| ZLIP-51 | 0.75" circle | 19.1 | Matte | 11,700 | Permanent | (WH) YE OR GS PI BL RE |
| ZLIP-16WH | 0.75" x 0.75" | 19.1 x 19.1 | Matte | 12,000 | Permanent | (WH) |
| ZLIP-12 | 0.94" x 0.5" | 23.9 x 12.7 | Matte | 16,800 | Permanent | (WH) YE OR PI BL GA |
| ZLIP-79WH | 1.75" x 1" | 44.5 x 25.4 | Matte | 4,000 | Permanent | (WH) |
| ZLIP-8 | 1.77" x 0.79" | 45 x 20 | Matte | 5,200 | Permanent | (WH) GS |
| ZLIP-3WH | 2.625" x 1" | 66.7 x 25.4 | Matte | 3,000 | Permanent | (WH) |
| ZLIP-19WH | 2.75" x 2.75" | 69.9 x 69.9 | Matte | 900 | Permanent | (WH) |
| ZLIP-56WH | 4" x 1.5" | 101.6 x 38.1 | Matte | 1,400 | Permanent | (WH) |
| ZLIP-40 | 4" x 1" | 101.6 x 25.4 | Matte | 2,000 | Permanent | (WH) YE OR PI |
| ZLIP-7 | 4" x 2" | 101.6 x 50.8 | Matte | 1,000 | Permanent | (WH) YE OR PI BL |
| ZLIP-18WH | 6" x 0.75" | 152.4 x 19.1 | Matte | 1,400 | Permanent | (WH) |
| ZLGP-8WH | 1.77" x 0.79" | 45 x 20 | Glossy | 5,200 | Permanent | (WH) |
| ZLGP-19WH | 2.75" x 2.75" | 69.9 x 69.9 | Glossy | 900 | Permanent | (WH) |
| ZRLZP-51WH | 0.75" circle | 19.1 | Matte | 11,700 | Removable | (WH) |
| ZRLZP-8WH | 1.77" x 0.79" | 45 x 20 | Matte | 5,200 | Removable | (WH) |
| ZRLZP-3WH | 2.625" x 1" | 66.7 x 25.4 | Matte | 3,000 | Removable | (WH) |



High-Temperature
Polyimide Tags

#ZAFA-1
3" x 5"



0056505404

GA International

Industritag.com

TAGS

Thermal-Transfer Polyimide Tags

Our durable high-temperature polyimide hang-tags for hot metal processing are thermal-transfer printable and adhesive-free. They resist harsh environments, including temperatures as high as +300°C/+572°F to +400°C/+752°F and short-term exposure of up to +600°C/+1112°F. These polyimide tags also have superior chemical resistance, allowing them to withstand a variety of harsh solvents. They are ideal for steel mills and factory processes as well as identifying metal slabs, pipes, sheets, coils, and springs.



Standard

| SKU# | Inches (W x H) | mm (W x H) | Tags/Roll |
|----------------|----------------|------------|-----------|
| ZAFA-1C3-0.1WH | 3" x 5" | 76.2 x 127 | 100 |



Inkjet Printable Name Tags

Produce glossy photo-quality nametags and badges for conferences, events, and tradeshow on-demand with our adhesive-free continuous rolls. They're compatible with roll-format inkjet printers, such as the Epson colorworks C3500 and C7500, as well as the Primera LX900 and LX200 models. Available in a variety of widths (2", 3", 4"), these tags can be sized with a cutter to the desired length. Our continuous rolls can be provided with perforations to obtain sided items for easy folding and sliding into badge pouches.

Standard

| SKU# | Inches x Feet | mm | Core |
|-----------------|---------------|-----------------|------|
| ZITAG-50C1-100 | 2" x 100' | 50.8mm x 30.5m | 1" |
| ZITAG-50C3-100 | 2" x 100' | 50.8mm x 30.5m | 3" |
| ZITAG-76C1-100 | 3" x 100' | 76.2mm x 30.5m | 1" |
| ZITAG-76C3-100 | 3" x 100' | 76.2mm x 30.5m | 3" |
| ZITAG-101C1-100 | 4" x 100' | 101.6mm x 30.5m | 1" |
| ZITAG-101C3-100 | 4" x 100' | 101.6mm x 30.5m | 3" |




Thermal-Transfer Price Tags

Our thermal-transfer industrial tags make it possible to identify heavy-duty industrial equipment, including nail, silicone, and glue guns. Designed for the identification of pneumatic, powder-actuated, and combustion-powered guns, these labels withstand through cleaning and lubrication. These durable tags also resist harsh cleaning cycles, such as ultrasonic cleaning and autoclaving. They can be printed with serialized information, barcodes, and safety warnings, making them perfect for tracking inventory and industrial equipment.



Standard

| SKU# | Inches (W x H) | mm (W x H) | Core | Labels/Roll |
|---------------|----------------|-------------|------|-------------|
| ZIPT-33C1-1SI | 3.063" x 1.25" | 77.8 x 31.8 | 1" | 1,000 |
| ZIPT-33C3-2SI | 3.063" x 1.25" | 77.8 x 31.8 | 3" | 2,000 |







TAPES



Adhesive-Free Sealing Tape

Non-adhesive inert elastic tape that permanently adheres to itself. Material can be sprayed with alcohol or other disinfecting solutions then wrapped with this low-temperature tape to keep them sterile for extended periods of time and prevent contamination. Can also be used for electrical insulation, surface protection, and color coding in a variety of industrial applications. This adhesive-free sealing tape resists extreme temperature conditions, including immersion in liquid nitrogen, sterilization in dry heat ovens, and extended exposure to UV and gamma irradiation.



| SKU# | Inches x Feet | mm x m | Core | Colors Available |
|--------------|---------------|-----------|------|---|
| ZTHG-25C1-10 | 1" x 10' | 25mm x 3m | 1" |  |

Destructible Tape

Our continuous, tamper-proof destructible cryogenic tape is ideal for sealing containers and other items. This tape will destruct upon any attempt to remove it from most surfaces, indicating that the contents of the container have been compromised. Durable and waterproof, our tamper-evident tape can be used as a security seal for asset protection and data tracking, to deter theft, and for anti-counterfeit measures.



| SKU# | Inches x Feet | mm x m |
|----------------|---------------|------------|
| ZDST-13C1-50WH | 0.5" x 50' | 13mm x 15m |
| ZDST-19C1-50WH | 0.75" x 50' | 19mm x 15m |

Floor Marking Tape

Warning tape for identifying dangerous or hazardous areas. This brightly colored floor marking tape can improve safety by warning or catching the attention of staff, limiting entry into these areas. Ideal for use in construction, roadwork, or where heavy machinery is operated.


| SKU# | Inches x Feet | mm x m | Core |
|------------|---------------|----------------|------|
| ZWTAPE-001 | 2" x 108' | 50.8mm x 32.9m | 3" |



Glow-in-the-Dark Tape

Our continuous, glow-in-the-dark, fluorescent green tape is coated with a permanent adhesive, allowing it to stick to most surfaces. It's ideal for identifying objects and surfaces that need to be clearly visible, even in dark spaces, and can enhance the safety of your workplace by indicating exits in case of power outage. This tape is also writable with permanent markers.

| SKU# | Inches x Feet | mm x m | Core |
|--------|---------------|------------|------|
| ZTAGID | 1" x 30' | 25.4 x 9.1 | 1" |



Tapes for Low Temperature

Our continuous cryogenic writable tape is waterproof and resistant to liquid nitrogen, dry ice, multiple freeze-thaw cycles, UV and gamma irradiation, humid weather, and other harsh environments. This low-temperature tape can be used with refrigeration systems, electronics, and outdoor applications. Available in a variety of colors.



| SKU# | Inches x Feet | mm x m | Colors Available |
|----------|---------------|--------------|---|
| ZTJTA-13 | 0.5" x 50' | 13mm x 15m | WH YE GA BL OR RE |
| ZTJTA-19 | 0.75" x 50' | 19mm x 15m | WH YE GA BL OR RE |
| ZTJTA-25 | 1" x 50' | 25mm x 15m | WH YE GA BL OR RE |
| ZTJTA-70 | 2.75" x 50' | 69.9mm x 15m | WH YE GA BL OR RE |

Available in 1" and 3" core.

Tapes for Frozen Surfaces

Our cryogenic tape is ideal for labeling frozen surfaces, including those found in outdoor applications, such as construction sites. The unique design of this tape ensures it will not freeze, even in sub-zero conditions, and can be used in temperatures as low as -70°C/-94°F. Provided in roll format can be inscribed using our permanent ink cryo markers. It is available in assorted colors for easy identification and color coding.

Colors

| SKU# | Inches x Feet | mm x m | Core | Available Colors |
|--------------|---------------|--------------|------|---|
| ZTFS-13C1-50 | 0.5" x 50' | 13mm x 15m | 1" | WH YE GA BL OR RE |
| ZTFS-19C1-50 | 0.75" x 50' | 19mm x 15m | 1" | WH YE GA BL OR RE |
| ZTFS-25C1-50 | 1" x 50' | 25.4mm x 15m | 1" | WH YE GA BL OR RE |



Transparent

| SKU# | Inches x Feet | mm x m | Core |
|--------------|---------------|--------------|------|
| ZTAQ-13C1-50 | 0.5" x 50' | 13mm x 15m | 1" |
| ZTAQ-19C1-50 | 0.75" x 50' | 19mm x 15m | 1" |
| ZTAQ-25C1-50 | 1" x 50' | 25.4mm x 15m | 1" |




Self-Laminating Perforated Tapes

(Patent Pending)

Our hand-writable, self-laminating perforated tape is able to produce on-demand laminated labels, and allows you to securely identify regularly inspected tools and equipment. Ideally suited for all industries that require clear identification and tracking of instruments and machines periodically serviced or inspected, and that may need additional abrasion or chemical resistance. Once the laminated, the labels/tags are waterproof, resistant to wear-and-tear, weatherproof, and resistant to harsh chemical and environments, wide temperature ranges, and even UV and gamma irradiation.



| SKU# | Inches x Feet | mm x m | Perforation Distance |
|----------|---------------|------------|----------------------|
| ZTCLP-38 | 1.5" x 65.6' | 38mm x 20m | Every 0.75" |




Tapes for Metal Surfaces

Our low-temperature adhesive tape is designed to be applied at freezing and sub-zero temperatures and to withstand extreme cold and weather conditions. Our cold-resistant tape is specifically made for easy marking and identification of stainless-steel, aluminum, titanium, and copper surfaces that are used in the storage of air and fuel cooling systems and tanks, or for labeling low-temperature electronics. This specialty cryo tape is writable using permanent cryo markers and can be provided in different colors and configurations upon request.



| SKU# | Inches x Feet | mm x m | Core | Available Colors |
|--------------|---------------|------------|------|---------------------|
| ZTWA-13C1-50 | 0.5" x 50' | 13mm x 15m | 1" | (WH) YE GA BL OR RE |
| ZTWA-19C1-50 | 0.75" x 50' | 19mm x 15m | 1" | (WH) YE GA BL OR RE |
| ZTWA-25C1-50 | 1" x 50' | 25mm x 15m | 1" | (WH) YE GA BL OR RE |





The World's Leading Software for
Label, Barcode, RFID & Card Printing





PRINTING SOLUTIONS



Printers

Thermal-Transfer & Direct Thermal

These printers are well-suited to laboratory environments and can be provided with options according to specifications. Printers of other brands, models and configurations are available. [Prices Upon Request](#)

| | Item# | Description |
|--|----------|---|
| NEW!  | CODY-300 | GA International Cody-300 Desktop Printer (300dpi resolution) <ul style="list-style-type: none"> • Direct Thermal / Thermal-Transfer Printer • Print Speed: Up to 6 in/s (152mm/s) • Print width up to 4.25" (108mm) • Media core diameter: 1" (25.4mm) • Interfaces: USB, Serial, Parallel, Ethernet • External media holder included • Platform Supported: Windows |
|  | ZD620t | Zebra ZD620t Desktop Printer (300 dpi resolution) <ul style="list-style-type: none"> • Direct Thermal/Thermal-Transfer Printer • Print Speed: Up to 6 in/s (152mm/s) • Interfaces: USB, Serial, Bluetooth (BTLE), and Ethernet • Print width up to 4.27" (108mm) • Media core diameter: 1" (25.4mm) • Optional add-ons: 10-button user interface with a color LCD • Platform Supported: Windows |
|  | MACH1 | cab MACH1 Desktop Printer (300 dpi resolution) <ul style="list-style-type: none"> • Direct Thermal/Thermal-Transfer Printer • Print Speed: Up to 4 in/s (102mm/s) • Interfaces: USB, Serial (RS232C), Ethernet 10/100 • Print width up to 4.25" (108mm) • Media core diameter: 1" (25.4mm) • Platform Supported: Windows |
|  | ZT230 | Zebra ZT230 Industrial Printer (203 or 300 dpi resolution) <ul style="list-style-type: none"> • Direct Thermal/Thermal-Transfer Printer • Print speed: Up to 6 in/s (152mm/s) • Interfaces: LCD, Parallel, Serial, USB, Ethernet • Print width up to 4.09" (104mm) • Media core diameter: 3" (76.2mm) • Platform Supported: Windows |
|  | SQUIX4M | cab SQUIX 4 M Industrial Printer (300 dpi resolution) <ul style="list-style-type: none"> • Direct Thermal/Thermal-Transfer Printer • Print Speed: Up to 11.8 in/s (300mm/s) • Centered material guide • Interfaces: USB, Serial (RS232C), Ethernet 10/100, WLAN 802. 11b, g, n. • Print width up to 4.25" (108mm) • Media core diameter: 3" (76mm) • Platform Supported: Windows |

Ribbons

For Thermal-Transfer Printers



RR-CLASS Smudge & Alcohol Proof Ribbons

For Zebra Desktop Printers

| SKU# | Inches x Feet | Metric |
|-------------------|---------------|-------------|
| RR64X74C0.5-1iZ4 | 2.5" x 244' | 64mm x 74m |
| RR84X74C0.5-1iZ4 | 3.3" x 244' | 84mm x 74m |
| RR110X74C0.5-1iZ4 | 4.3" x 244' | 110mm x 74m |

For Zebra Industrial Printers

| SKU# | Inches x Feet | Metric |
|------------------|---------------|--------------|
| RR40X450C1-1iZ4 | 1.57" x 1476' | 40mm x 450m |
| RR60X450C1-1iZ4 | 2.36" x 1476' | 60mm x 450m |
| RR110X450C1-1iZ4 | 4.3" x 1476' | 110mm x 450m |

For Cody-300 & cab Desktop Printers

| SKU# | Inches x Feet | Metric |
|--------------------|---------------|--------------|
| RR40X300C1-1iZ4 | 1.57" x 984' | 40mm x 300m |
| RR60X300C1-1iZ4 | 2.36" x 984' | 60mm x 300m |
| RR110X300C0.5-1iZ4 | 4.3" x 984' | 110mm x 300m |

For cab Industrial Printers

| SKU# | Inches x Feet | Metric |
|------------------|---------------|--------------|
| RR40X450C1-1iZ4 | 1.57" x 1476' | 40mm x 450m |
| RR60X450C1-1iZ4 | 2.36" x 1476' | 60mm x 450m |
| RR110X450C1-1iZ4 | 4.3" x 1476' | 110mm x 450m |

XAR-CLASS Xylene Resistant Ribbons

For Zebra Desktop Printers

| SKU# | Inches x Feet | Metric |
|-------------------|---------------|------------|
| XAR55x74C0.5-1JZ4 | 2.17" x 244' | 55mm x 74m |
| XAR64x74C0.5-1JZ4 | 2.5" x 244' | 64mm x 74m |
| XAR84X74C0.5-1JZ4 | 3.3" x 244' | 84mm x 74m |

For Zebra Industrial Printers

| SKU# | Inches x Feet | Metric |
|------------------|---------------|-------------|
| XAR40X300C1-1JZ4 | 1.57" x 984' | 40mm x 300m |
| XAR60X300C1-1JZ4 | 2.36" x 984' | 60mm x 300m |
| XAR89X300C1-1JZ4 | 3.5" x 984' | 89mm x 300m |

For Cody-300 & cab Desktop Printers

| SKU# | Inches x Feet | Metric |
|------------------|---------------|-------------|
| XAR40X300C1-1JZ4 | 1.57" x 984' | 40mm x 300m |
| XAR60X300C1-1JZ4 | 2.36" x 984' | 60mm x 300m |
| XAR89X300C1-1JZ4 | 3.5" x 984' | 89mm x 300m |

For cab Industrial Printers

| SKU# | Inches x Feet | Metric |
|------------------|---------------|-------------|
| XAR40X300C1-1JZ4 | 1.57" x 984' | 40mm x 300m |
| XAR60X300C1-1JZ4 | 2.36" x 984' | 60mm x 300m |
| XAR89X300C1-1JZ4 | 3.5" x 984' | 89mm x 300m |

Zebra ZD620t Printing Kit



Printing Kit Includes:

- Zebra ZD620t Printer
- 1,000 Labels of your choice
- 1 Smudge-Proof Resin Ribbon
- Bartender® Barcode Software

See printer specifications on page 40



| SKU# | Printer Features | Software |
|--------------|--|---|
| PKZD6-31 | USB, Serial, Ethernet, Bluetooth Interfaces | BarTender 2019 Professional Version Software License + 1 Printer License |
| PKZD6-LCD-31 | USB, Serial, Ethernet, Bluetooth Interfaces, LCD Screen | BarTender 2019 Professional Version Software License + 1 Printer License |

Zebra ZT230 Printing Kits



Printing Kit Includes:

- Zebra ZT230 Printer
- 1,000 Labels of your choice
- 1 Smudge-Proof Resin Ribbon
- Bartender® Barcode Software

See printer specifications on page 40



| SKU# | Printer Features | Software |
|-------------|---|---|
| PKT-ZT2-31 | USB, Serial, Parallel | BarTender 2019 Professional Version Software License + 1 Printer License |
| PKT-ZT2P-31 | USB, Serial, Parallel, Dispenser/Peeler | BarTender 2019 Professional Version Software License + 1 Printer License |
| PKT-ZT2-32 | USB, Serial, Ethernet | BarTender 2019 Professional Version Software License + 1 Printer License |
| PKT-ZT2P-32 | USB, Serial, Ethernet, Dispenser/Peeler | BarTender 2019 Professional Version Software License + 1 Printer License |

cab MACH1 Printing Kit



Printing Kit Includes:

- cab MACH1 Printer
- 1,000 Labels of your choice
- 1 Smudge-Proof Resin Ribbon
- Bartender® Barcode Software

See printer specifications on page 40



General

| SKU# | Software |
|-----------|--|
| PKT-MA-31 | BarTender 2019 Professional Version Software License + 1 Printer License |

Plant Identification Kit

| SKU# | Labels | Software |
|---------------|---------------------|--|
| PKCB-MA-30-TT | 5,000 #B-TTOL-33 | cablabel® S3 Lite Barcoding System (1 user) |
| PKCB-MA-30-OL | 5,000 #B-OL-1 | cablabel® S3 Lite Barcoding System (1 user) |
| PKCB-MA-30-OP | 5,000 #B-OPTG-1 | cablabel® S3 Lite Barcoding System (1 user) |
| PKCB-MA-31-TT | 5,000 #B-TTOL-33 | BarTender 2019 Professional Version Software License + 1 Printer License |
| PKCB-MA-31-OL | 5,000 #B-OL-1 | BarTender 2019 Professional Version Software License + 1 Printer License |
| PKCB-MA-31-OP | 5,000 #B-OPTG-1 | BarTender 2019 Professional Version Software License + 1 Printer License |

cab SQUIX 4 M Printing Kits



Printing Kit Includes:

- cab SQUIX 4 M Printer
- 1,000 Labels of your choice
- 1 Smudge-Proof Resin Ribbon
- Bartender® Barcode Software



See printer specifications on page 40



| SKU# | Printer Resolution | Software |
|------------|--------------------|--|
| PKT-SQM-31 | 300dpi | BarTender 2019 Professional Version Software License + 1 Printer License |
| PKT-SQM-61 | 600dpi | BarTender 2019 Professional Version Software License + 1 Printer License |

Scanners

Barcode scanners for 1-Dimensional and 2-Dimensional barcode scanning & area imaging.

| Item # | Description | |
|------------------|---|--|
| 1472G2D-2USB-5-N | Honeywell Voyager 1-D and 2-D barcode area imager scanner, USB and Wireless (Bluetooth) |  #1472G2D-2USB-5-N |
| EVO-SG1-ADU-K | POSX EVO 1-D and 2-D barcode area imager scanner, USB kit with stand |  #EVO-SG1-ADU-K |

Markers

Alcohol and Water-Resistant Marker

| Item # | Color | Description |
|---------|-------|--|
| SM-1B-6 | Black | <ul style="list-style-type: none"> • Cryogenic permanent marker • Alcohol-resistant • Water resistant |
| SM-1G-6 | Green | <ul style="list-style-type: none"> • Fine tip • 6 markers per pack |

FLAME-MARKER™

| Item # | Color | Description |
|--------|-------|---|
| FLM-1B | Black | <ul style="list-style-type: none"> • Thermal resistance of ink: From -196°C to + 1200°C* (-320°F to+ 2192°F*) • Solid Ink • Opaque • Fade and Water proof permanent marker • Big Tip • Marks on most surfaces |

Software

Bartender® Barcode Label Design Software

| Item # | Edition | Application Licenses | Printer Licenses | Description |
|-----------|--------------|----------------------|------------------|--|
| BTP19-1 | Professional | 1 | 1 | <ul style="list-style-type: none"> • Design and print labels, cards, mag stripe cards and more • Optimize print speed to any printer or marking device • Read data from CSV files, databases and Excel. Easily search and select records for printing • Intelligent Templates™ for intuitive and powerful design • Encode RFID labels and smart cards |
| BTP19-PRT | Professional | 0 | 1 | <ul style="list-style-type: none"> • BarTender Professional 2019 – Printer License only (Requires Application License) |
| BTA19-2 | Automation | 1 | 2 | <ul style="list-style-type: none"> • All Professional Features plus: • Automatically print from any OS, system or device in response to data transactions and SDK requests • Secure the printing environment with user and group role • Monitor live print status and view detailed history of system usage |
| BTA19-PRT | Automation | 0 | 1 | <ul style="list-style-type: none"> • BarTender Automation 2019 – Printer License only (Requires Application License) |
| BTE19-2 | Enterprise | 1 | 2 | <ul style="list-style-type: none"> • All Automation Features Plus: • Print from any iOS or Android device • Automatically print in response to Web service API or TCP/IP communication • Integrate with SAP and Oracle |
| BTE19-PRT | Enterprise | 0 | 1 | <ul style="list-style-type: none"> • BarTender Enterprise 2019 – Printer License only (Requires Application License) |

Services | Custom Manufacturing



Custom Label Solutions

Whatever your industry, IndustriTAG has the experience, high-quality materials, selection, and flexibility to provide you with custom specialty labels. Choose from water, chemical, high-heat, ultra-low temperature, and abrasion-resistant materials. We make robust industrial labels of any size, shape, configuration, or color that are compatible with your desired printing method of choice, from direct thermal and thermal-transfer to digital (laser and inkjet).

Large Label Selection

Choose from a variety of coatings, die cuts, lamination, and varnish. Our high-performance identification solutions uphold their integrity in any number of challenging industrial and commercial environments. IndustriTAG also specializes in custom manufacturing of unique adhesive constructions designed for hard to label surfaces, such as electronic components, machinery and rubber. We also provide barcode and RFID labels for sample tracking.

Research & Development

Our in-house team of scientists create innovative solutions to our customer's identification challenges with new processes and materials. With years of experiences and extensive knowledge of label manufacturing, our experts combine the two to create tailored identification solutions. We perform extensive testing, to ensure the quality of our products, and use only the best raw materials, to provide durable, long-lasting labeling solutions.



Please contact our customer support team at

1-800-518-0364 / 1-450-973-9420
support@ga-international.com



Printing Options

We print sheet, roll, or fanfold label formats using digital (laser and inkjet), flexographic, and thermal printing methods. From double-sided printing or printing on adhesives, piggyback, and holographic foil labels, our product selection and ability to custom manufacture is unmatched in the industry.

Variable Data Printing (VDP)

Our VDP label printing service ensures accurate printing and long-lasting resistance of your information, while adding that personal touch. This will help you run your operations efficiently with a hands-off approach to asset identification. Simply supply us with your database and we'll take care of printing your labels. The labels can be printed with serialized numbers, 1D and 2D barcodes, individualized alphanumeric text, as well as full-color designs, graphics and logos.

DataGARD™

DataGARD is a novel printing service that generates laminated VDP labels. Ideal for labeling of electronic and heavy use equipment that need a unique identifier for asset tracking or maintenance, while ensuring the information remains protected, even when exposed to tough environments. The labels and their individual, serialized information, are protected against exposure to harsh chemicals including hexanes, commercial thinners, acids, bases, oils, and detergents. These labels can also resist extreme temperatures, abrasion, scratching and friction, and remain legible and scannable. In fact, the labels have been shown to even withstand sandpaper, whether used by hand or with a Dremel® tool.

Barcodes & Barcode Grading

We provide high-quality 1D and 2D barcodes, guaranteeing accurate and consistent scanning of your barcodes. Our barcodes conform to the most stringent international industry standards and certifications, including ISO/IEC 15415, ISO/IEC 15416, 15416-1 and 2, ISO/IEC TR 29158 (AIM DPM-2006), and GS1. Our grading system, equipped with the Tru-Check Omni™ barcode grading and verification system can generate, verify, and provide 1D linear barcode, 2D symbols, as well as barcode grading reports of individual or specific sequences of barcodes. Our experienced support team is also available to provide advice on how to improve barcode quality and readability.

Shop Our Labels Online at **Industritag.com**

- Discover a large selection of labels in many sizes and colors
- Find the right product by searching for keywords or item number
 - Place your purchase orders (P.O.) online
- Use our live chat to get help from our support team



ISO 9001:2015 Certified

USA / CANADA | **INTERNATIONAL**
+1-800-518-0364 | +1-450-973-9420

info@ga-international.com
Industritag.com

USA
P.O. Box 2633,
Champlain, NY
12919, United States

CANADA
3208 Jacques-Bureau Ave
Laval QC,
H7P 0A9, Canada

NETHERLANDS
Runweg 28A,
5258 BN Berlicum
Netherlands

UK
10 John Street,
London WC1N 2EB
United Kingdom

INDIA
A-61, Lower Ground Floor,
Defence Colony,
New Delhi - 110024, India