



Automotive Labeling Solutions

Labels for Hard-to-Stick Surfaces


The latest advancements in the automotive industry have led to the development of sleeker, self-cleaning coatings, that protect against dirt and spills. However, these surfaces are more difficult to label and prone to outgassing. To solve this issue, IndustriTAG has developed labels that adhere firmly to hard-to-stick surfaces, including low surface energy (LSE) plastics, such as silicone coated and silica treated surfaces, fabrics and fibers, while also providing excellent resistance against grease and extended UV exposure. The performance of our labels has been confirmed by environmental testing against rigorous conditions.



Labels for Low Surface Energy (LSE) Plastics

SKU#	Inches (W x H)	mm (W x H)	Core	Labels/Roll
ZPRF-242C1-0.5WH	1.75" x 0.75"	44.5 x 19.1	1"	500
ZPRF-242C3-1WH	1.75" x 0.75"	44.5 x 19.1	3"	1,000
ZPRF-62C1-0.5WH	4" x 2"	101.6 x 50.8	1"	500
ZPRF-62C3-1WH	4" x 2"	101.6 x 50.8	3"	1,000
ZPRF-122C1-0.3WH	4" x 4"	101.6 x 101.6	1"	300
ZPRF-122C3-0.5WH	4" x 4"	101.6 x 101.6	3"	500

IndustriTAG offers safety and identification solutions for the electrical industry, including labels for cables, wires, as well as warning labels for safety on the worksite. Blank thermal-transfer or laser printable cable labels are available, as well as custom solutions, including preprinted labels. Our electrical labels are compliant with Europe (EU) Restriction of Hazardous Substances (RoHS).



SKU#	Total Size Inches (W x H)	Printable Area Inches (W x H)	Total Size mm (W x H)	Printable Area mm (W x H)	Core	Labels/Roll
ZEBA-162NOTC1-1WH	0.5" x 1"	0.5" x 0.4"	12.7 x 25.4	12.7 x 10.1	1"	1,000
ZEBA-162NOTC3-2WH	0.5" x 1"	0.5" x 0.4"	12.7 x 25.4	12.7 x 10.1	3"	2,000
ZEBA-29NOTC1-1WH	1" x 1"	1" x 0.375"	25.4 x 25.4	25.4 x 9.5	1"	1,000
ZEBA-29NOTC3-2WH	1" x 1"	1" x 0.375"	25.4 x 25.4	25.4 x 9.5	3"	2,000
ZEBA-118NOTC1-1WH	1" x 1.25"	1" x 0.5625"	25.4 x 31.8	25.4 x 14.3	1"	1,000
ZEBA-118NOTC3-2WH	1" x 1.25"	1" x 0.5625"	25.4 x 31.8	25.4 x 14.3	3"	2,000
ZEBA-193NOTC1-0.5WH	1" x 2.875"	1" x 0.55"	25.4 x 73	25.4 x 14	1"	500
ZEBA-193NOTC3-1WH	1" x 2.875"	1" x 0.55"	25.4 x 73	25.4 x 14	3"	1,000

SKU#	Inches (W x H)	mm (W x H)	Labels/Roll
ZEL-001-0.5	5" x 2.9375"	127 x 74.6	500
ZEL-002-0.5	3.25" x 6.875"	82.5 x 174.6	500



#ZEL-002

More sizes available on request.

Laser Flag Cable Labels

SKU#	Inches (W x H)	mm (W x H)	Label/Pack	Colors
ZLPF-120	1.25" x 2"	31.8 x 50.8	480	<div> <div>WH</div> <div>YE</div> <div>GA</div> <div>PI</div> <div>BL</div> <div>OR</div> <div>RE</div> <div>LA</div> <div>LA</div> </div>

Thermal-Transfer Flag Cable Labels

SKU#	Inches (W x H)	mm (W x H)	Core	Labels/Roll	Colors
ZE-TTOL-2C1-1	2.24" x 1.25"	56.9 x 31.8	1"	1000	<div> <div>WH</div> <div>YE</div> <div>PI</div> <div>BL</div> <div>OR</div> <div>RE</div> <div>VI</div> <div>GS</div> <div>SI</div> <div>LE</div> </div>
ZE-TTOL-2C3-2	2.24" x 1.25"	56.9 x 31.8	3"	2000	<div> <div>WH</div> <div>YE</div> <div>PI</div> <div>BL</div> <div>OR</div> <div>RE</div> <div>VI</div> <div>GS</div> <div>SI</div> <div>LE</div> </div>



Custom Solutions

Contact our support team to find identification solutions that meet your needs.

cx@ga-international.com

Tire Labels

Our thermal-transfer tire labels for indoor and outdoor use have an ultra-strong permanent adhesive for rubber surfaces making them ideal for inventory control and tire storage. These barcode labels firmly to a variety of rubber surfaces, perfect for identifying tires and rough tire tread. They can be produced in any size, color, or configuration, with company logos, graphics, and serialized data as well.



TireSTUCK™ – Ultra Strong Tire Labels for Thermal-Transfer

SKU#	Inches (W x H)	mm (W x H)	Core	Labels/Roll	Colors
ZSTLA-28C1-1WH	2" x 1"	50.8 x 25.4	1"	1,000	Ⓜ
ZSTLA-28C3-1WH	2" x 1"	50.8 x 25.4	3"	4,000	Ⓜ
ZSTLA-100C1-0.3WH	4" x 3"	101.6 x 76.2	1"	300	Ⓜ
ZSTLA-100C3-1WH	4" x 3"	101.6 x 76.2	3"	1,000	Ⓜ
ZSTLA-122C1-0.3	4" x 4"	101.6 x 101.6	1"	300	Ⓜ YE
ZSTLA-122C3-1	4" x 4"	101.6 x 101.6	3"	1,000	Ⓜ YE
ZSTLA-191C1-0.25WH	4" x 6"	101.6 x 152	1"	250	Ⓜ
ZSTLA-191C3-0.5WH	4" x 6"	101.6 x 152	3"	500	Ⓜ

HydroSTUCK™ – Ultra Strong Thermal-Transfer Labels

SKU#	Inches (W x H)	mm (W x H)	Core	Labels/Roll
ZUTA-122C1-0.3WH	4" x 4"	101.6 x 101.6	1"	300
ZUTA-122C3-1WH	4" x 4"	101.6 x 101.6	3"	1,000
ZUTA-191C1-0.25WH	4" x 6"	101.6 x 152	1"	250
ZUTA-191C3-0.5WH	4" x 6"	101.6 x 152	3"	500

More sizes available on request.

Water and Oil-Resistant Plastic Tire Labels

SKU#	Inches (W x H)	mm (W x H)	Core	Labels/Roll	Colors
ZFPL-100C1-0.25	4" x 3"	101.6 x 76.2	1"	250	(WH) (SI)
ZFPL-100C3-1	4" x 3"	101.6 x 76.2	3"	1,000	(WH) (SI)
ZFPL-122C1-0.3	4" x 4"	101.6 x 101.6	1"	300	(WH) (YE)
ZFPL-122C3-1	4" x 4"	101.6 x 101.6	3"	1,000	(WH) (YE)
ZFPL-191C1-0.25	4" x 6"	101.6 x 152.4	1"	250	(WH) (YE) (OR) (GA) (PI)
ZFPL-191C3-0.5	4" x 6"	101.6 x 152.4	3"	500	(WH) (YE) (OR) (GA) (PI)
ZFPL-526C1-0.2WH	4" x 8"	101.6 x 203.2	1"	200	(WH)
ZFPL-526C3-0.4WH	4" x 8"	101.6 x 203.2	3"	400	(WH)

Tamper-Evident Tire Labels

SKU#	Inches (W x H)	mm (W x H)	Core	Labels/Roll
ZTEP-283C1-0.5WH	4" x 2.875"	101.6 x 73	1"	500
ZTEP-283C3-1WH	4" x 2.875"	101.6 x 73	3"	1,000



DataGARD™ Variable Data Laminated Labels

- Improve Efficiency
- Ensure Durability
- Customize



DataGARD™ in Industrial Applications

- Identify circuit boards and electrical panels
- Asset tracking in electronics, forestry, construction, manufacturing, mining, and more
- Labels stay clear even when heated and covered in oil, water, and dirt
- Waterproof, weatherproof, wear and tear proof
- Resistant to chemical exposure and abrasion

Industritag.com/datagard



More sizes available on request.

Heat-Resistant Labels

Our high-temperature resistant labels are ideal for identifying various containers and surfaces. They have a temperature range of -60°C to +150°C (-76°F to + 302°F) and can be applied to metal, plastic, and glass surfaces, withstanding exposure to alcohols, as well as UV and gamma irradiation. These labels are waterproof, weatherproof, and thermal-transfer printable, which ensures barcodes are printed with high-resolution and remain legible and scannable for asset tracking and inventory control. Heat-resistant labels for laser and inkjet printers are also available.



Print & Laminate Yourself!

Self-Laminating Heat-Resistant Labels for Thermal-Transfer Printers

SKU#	Inches (W x H)	mm (W x H)	Core	Labels/Roll	Adhesive
ZSLPA-534NPC1-0.5WH	0.75" x 2.25"	19.1 x 57.2	1"	500	Permanent
ZSLPA-534NPC3-1WH	0.75" x 2.25"	19.1 x 57.2	3"	1,000	Permanent
ZSLPA-284C1-0.5WH	1" x 2.125"	25.4 x 54	1"	500	Permanent
ZSLPA-284C3-1WH	1" x 2.125"	25.4 x 54	3"	1,000	Permanent

Heat-Resistant Labels for Thermal-Transfer Printers

SKU# (White)	SKU# (Colors)	Inches (W x H)	mm (W x H)	Core	Labels/Roll	Adhesive*	Colors
ZAUTT-19C1-1WH	-	1.3" x 0.625"	33 x 15.9	1"	1,000	Permanent	(WH)
ZAUTT-19C3-1WH	-	1.3" x 0.625"	33 x 15.9	3"	1,000	Permanent	(WH)
ZAUTT-75NPC1-2WH	ZAUTC-75NPC1-2	1" x 0.6875"	25.4 x 17.5	1"	2,000	Permanent	(WH) (GA) (OR)
ZAUTT-75NPC3-2WH	ZAUTC-75NPC3-2	1" x 0.6875"	25.4 x 17.5	3"	2,000	Permanent	(WH) (GA) (OR)
ZAUTT-84C1-0.25WH	ZAUTC-84C1-0.25	2" x 4"	50.8 x 101.6	1"	250	Permanent	(WH) (YE) (GA) (PI) (BL) (OR) (RE)
ZAUTT-84C3-1WH	ZAUTC-84C3-1	2" x 4"	50.8 x 101.6	3"	1,000	Permanent	(WH) (YE) (GA) (PI) (BL) (OR) (RE)
ZAUTT-28C1-2WH	-	2" x 1"	50.8 x 25.4	1"	2,000	Permanent	(WH)
ZAUTT-28C3-2WH	-	2" x 1"	50.8 x 25.4	3"	2,000	Permanent	(WH)
ZAUTT-231C1-1WH	-	2.25" x 1.25"	57.2 x 31.8	1"	1,000	Permanent	(WH)
ZAUTT-231C3-2WH	-	2.25" x 1.25"	57.2 x 31.8	3"	2,000	Permanent	(WH)

*Also available with removable adhesive. Visit www.industritag.com/automotive

More sizes available on request.

Acid and Base-Resistant Labels

Our labels are designed to resist exposure to substances spanning a wide pH range, including battery acid, etchants, alkaline cleaning agents, bases, and other concentrated acids and bases. These permanent, acid and base-proof labels are ideal for identifying containers used to store highly corrosive reagents, including aircraft cleaning chemicals used in various industries as well as in pest and weed control solutions used in agriculture. Compatible with all common thermal-transfer barcode label printers, they can be printed using our XAR-class of ribbons with barcodes and other relevant information allowing them to withstand exposure to acids and bases without additional protection or lamination.



SKU#	Inches (W x H)	mm (W x H)	Core	Labels/Roll
ZACT-504C1-1WH	1.5" x 1"	38.1 x 25.4	1"	1,000
ZACT-504C3-3WH	1.5" x 1"	38.1 x 25.4	3"	3,000
ZACT-28C1-1WH	2" x 1"	50.8 x 25.4	1"	1,000
ZACT-28C3-3WH	2" x 1"	50.8 x 25.4	3"	3,000
ZACT-56C1-0.5WH	3" x 2"	76.2 x 50.8	1"	500
ZACT-56C3-1WH	3" x 2"	76.2 x 50.8	3"	1,000

More sizes available on request.

We Offer Custom Manufacturing!

Our dedicated support staff is always ready to help you design the right identification solution for your application, with labels that comply with North American and European regulations, including RoHS standards.